

Misleading Claims about Tobacco Products in YouTube Videos:

Effects of Misinformation on Unhealthy Attitudes

Abstract

Background: Recent content analyses of YouTube postings reveal a proliferation of user generated videos with misleading statements about the health consequences of various types of nontraditional tobacco use (e.g., electronic cigarettes).

Objective: This research was aimed at obtaining evidence about the potential effects of YouTube postings about tobacco products on viewers' attitudes toward these products.

Methods: A sample of young adults recruited online (final $N = 350$) viewed one of four highly viewed YouTube videos containing misleading health statements about chewing tobacco, e- (electronic) cigarettes, hookahs, and pipe smoking, as well as a control YouTube video unrelated to tobacco products.

Results: The video about e-cigarettes and hookahs led to more positive attitudes toward the featured products than did control videos. However, these effects did not fully translate into attitudes toward combustive cigarette smoking, although the pipe video led to more positive attitudes toward combustive smoking than did the chewing and the hookah videos and the e-cigarette video led to more positive attitudes toward combustive cigarette smoking than did the chewing video.

Conclusions: This research revealed young people's reactions to misleading claims about tobacco products featured in popular YouTube videos. Policy implications are discussed.

**Misleading Claims about Tobacco Products in YouTube Videos:
Effects of Misinformation on Unhealthy Attitudes**

The study of media influences on smoking among adolescents and young adults has a long history of uncovering significant health threats ^{1,2}. Although these findings, along with regulatory efforts, have contributed to the decline of tobacco portrayal, mostly cigarettes, in cinema and on television since 1950 ^{3,4}, emerging media such as the Internet remain largely unregulated ^{5,6}. For example, many noncommercial Internet materials generated by community members minimize or misrepresent the negative health consequences of tobacco use, either through omission (e.g., not noting the negative health consequences; Bromberg, Augustson, & Backinger, 2012; Hong & Cody, 2002; Richardson & Vallone, 2014; Seidenberg, Rodgers, Rees, & Connolly, 2012), or through commission (e.g., asserting that smoking is safe or even has health benefits; Becky Freeman & B., 2012; Luo et al., 2013; Seidenberg et al., 2012). The question guiding this research is: What is the likely effect of such tobacco friendly communications disseminated informally on the Internet?

There is a rising suspicion that online exposure to user-generated content on YouTube, shapes young people's perceptions of tobacco ⁵⁻¹⁵. There are at least three reasons for this concern. First, there are large numbers of tobacco-related messages on YouTube ^{6-10,12,13,15-17}, with more messages presenting favorable than unfavorable views on tobacco ^{6-10,12,13,15-17}. Second, YouTube reports over one billion users who collectively watch hundreds of millions of hours of video per day ¹⁸. Third, according to a recent survey, half of today's teens cite YouTube as their favorite website ¹⁹. Despite the potential influence of this large number of regularly viewed messages from an outlet young people trust, little systematic research has elucidated the degree to which YouTube messages influence attitudes toward tobacco products. Such evidence

is critical for future policy decisions about tobacco-related content presented on the Internet^{11,12,20}.

Prior studies of tobacco messages on YouTube have provided invaluable qualitative analyses of content^{6,7,10,12,13,16} and determined prevalence of tobacco messages²¹. The next step, however, is to ascertain if these messages can promote favorable attitudes toward tobacco products such as e-cigarettes and combustible cigarette smoking in young viewers. Research on alcohol use portrayals in social media has already shown harmful influences of Internet content (Litt, & Stock, 2011; Moreno, 2012; Romer & Moreno, 2017). In the arena of tobacco, the most likely targets of influence are products of ambiguous health consequences in the eyes of the public. Recent surveys suggest that young adults regularly use one or more tobacco products such as hookahs and e-cigarettes^{25–27}, even though combustible cigarette use has declined^{3,27}. Thus, we identified popular user-generated YouTube videos that contained misleading messages about such products as chewing tobacco, hookahs, and e-(electronic-) cigarettes. Then, we experimentally examined whether these videos create favorable attitudes toward the featured product. We focused on four different tobacco products: (a) chewing tobacco, (b) e-cigarettes, (c) hookahs, and (d) pipe smoking. Four highly viewed messages were selected and presented online to a sample of 18-24-year olds (final $N = 350$) with varied prior use of tobacco products.

Methods

Sample and Experimental Design

Four hundred and thirty participants aged 18-24 in the United States completed the 15-minute study via Amazon Mechanical Turk. The study was approved by the Institutional Review Board of the University of Pennsylvania. Participants were compensated \$1 for study completion. Researchers have found psychometric indicators of quality of Mechanical Turk data

to be comparable to subject pools at research universities²⁸. Nevertheless, we included two checks on participation quality²⁹. To ensure that participants read instructions, they were required to answer a question about their favorite color by clicking green and pink regardless of their actual preferences. Failing to follow this instruction indicates that this and possibly other instructions of questions were not read. A second check ensured that participants actually watched the videos by indicating what was discussed. Participants responded to a checklist of products including the tobacco product that appeared in the video and indicated which appeared or were mentioned. Participants failing either check (23%) were excluded, producing a final sample size of 350. Comparisons between the excluded and retained participants indicated no significant differences in tobacco consumption or demographics.

Selection of Videos

A search of popular videos on YouTube using 136 tobacco-related search terms identified over 8,000 videos after removing unrelated content. Search terms included “smoke,” “smoking,” “tobacco,” “cigarillo,” and colloquial terms for products such as “shisha” for hookah tobacco. Criteria for exclusion included the video having fewer than 20,000 views at the time of download, the video being in a language other than English or having no audio, a video not containing tobacco content, or a video not being retrievable due to a broken or inactive link. Using an excel random number generator, of the 8,000 eligible videos, 200 were selected for further coding. Three coders met a Krippendorff’s Alpha reliability of $K \text{ Alpha} \geq .91$ for the classifications of videos into different types of claims. This coding identified four major types of misleading health messages from this sample of YouTube videos: rejection of science (i.e., evidence supporting the harmfulness of a tobacco product is faulty), assertion of benefit (e.g.,

tobacco can be healthy), denial of harm (e.g. tobacco is not harmful after all), or presence of acceptable risks (e.g., using tobacco is no riskier than other common activities).

We pinpointed 37 videos containing misleading portrayals of tobacco's health consequences that lacked discernable brand affiliation or sponsorship. To ensure a varied sample of contents, we selected four videos representing each of the misleading categories. Within this elected set, two of the videos featured young adult white males and two featured adult white males. Within the selected set, videos were also representative of the major categories of misleading health claims that reached large audiences. In the selected videos, the source: (1) claimed that drinking green tea prevents mouth disease from chewing tobacco (denial of harm), (2) expressed skepticism toward scientific evidence that shisha contains harmful additives and that water filtration *does not* eliminate carcinogens (rejection of science), (3) suggested routine tasks like driving a car entail risks similar to pipe smoking (relative risk), or (4) asserted his status as a fitness expert while vaping (assertion of benefit). We selected videos that were popular without presenting expert sources. This selection allowed for the most stringent test of possible consequences of seemingly harmless amateur videos posted on YouTube. In addition to the lack of connection to a brand or sponsor, this selection also ensures a low probability of capturing commercial content.ⁱ

The control video was not related to health. This YouTube video featured a demonstration about replacing a shower faucet and was similar in duration and features to the experimental videos. Videos were cropped to minimize background and edited into brief (≈ 20 s) segments. Screenshots and links to the videos appear in Figure 1.

Design

The conditions included five videos –four experimental videos and the control video-- randomized between participants. Attitudes were measured after participants viewed one of the five videos. Specifically, in the experimental video conditions, we measured attitudes toward (a) chewing tobacco, (b) e-cigarettes, (c) hookahs, and (d) pipe smoking, depending on which was featured in the video. In the control video condition, we measured attitudes toward (a) chewing tobacco, (b) e-cigarettes, (c) hookahs, and (d) pipe smoking in all cases. Attitudes toward combustible cigarette smoking were measured in all conditions even though combustible cigarettes were not featured.

Measures

Tobacco use. We assessed use for the following products: cigarettes, cigars, pipe tobacco, chewing tobacco, hookah, and electronic cigarettes (e-cigarettes). Participants first indicated which products they had ever tried. These measures were used to verify that the groups randomly assigned to conditions were indeed similar in experience.

Attitudes toward featured tobacco products. Attitudes toward tobacco use were measured with six semantic differential scales from 1 to 7, namely *harmful/beneficial*, *wise-foolish*, *healthy/less healthy*, *enjoyable/unenjoyable*, *pleasant/unpleasant*, and *bad/good*. Participants in experimental conditions reported their attitudes toward the product mentioned in their video condition. Participants in control conditions reported their attitudes toward each of the five products mentioned in the experimental videos. Negative items were reverse scored. Attitude scales had good internal consistency (α 's > .70) and were averaged to form overall indexes of attitudes toward the featured product in experimental conditions and toward each product in control conditions. In addition to the overall attitude scale, we created scales for only

positive items, and scales for only negatively worded reverse-scored items. The attitudes toward chew, pipe, hookah, and e-cigarettes in the control condition were averaged to compare with the attitudes in experimental conditions.

Attitudes toward combustive cigarette smoking. Combustive cigarettes were not the focal product in any of the videos but attitudes toward combustive cigarette smoking may still be indirectly promoted in videos featuring nontraditional forms of tobacco use. Thus, participants in experimental and control conditions were asked to report their attitudes toward smoking combustive cigarettes on scales from 1 to 7 anchored on the following adjectives: *harmful/beneficial*, *wise-foolish (R)*, *healthy/less healthy (R)*, *enjoyable/unenjoyable*, *pleasant/unpleasant (R)*, and *bad/good*. The overall attitude scales after reverse-scoring the negative items had good internal consistency (α 's > .70) and was averaged to represent attitudes toward combustive cigarette smoking. In addition, we created a scale for only positive items, and another for only negatively worded reverse-scored items.

Credibility. Perceived credibility of the spokespersons with audio was measured with a 5-item scale with the following items “To what extent do you agree that the person was speaking sincerely?”; “To what extent do you agree that the person is not worth listening to in the future?”; “To what extent do you agree that the person is a person who influenced my thinking on the matter?”; “To what extent do you agree that the person was communicating clearly?”; and “To what extent do you agree that the person is an expert on the topic?” These items had adequate internal consistency ($\alpha = .63$) and were averaged as a measure of credibility.

Results

Sample Description and Comparability of Conditions

For descriptive purposes, we assessed use for the following products: cigarettes, pipe tobacco, chewing tobacco, hookahs, and e-cigarettes. We specifically asked if participants "Have you ever used any of the following tobacco products?", after which they checked products that they had used. Table 1 contains the demographic and tobacco product usage description of the sample. The sample had considerable experience smoking combustive cigarettes, using hookahs, and using e-cigarettes but had little experience chewing tobacco and smoking pipes. As shown by the inferential statistics used to compare across experimental groups, there were no significant differences across the five video conditions in any of these characteristics. These analyses thus suggested that any experimental effects are due to the videos rather than a priori differences among groups of participants.

Level of Credibility of the Spokesperson in Experimental Videos

The level of credibility of the spokesperson in the experimental videos was low to moderate, as judged by a M credibility = 2.52 ($SD = 0.56$), which differed significantly from the midpoint (3) of the scale, $t(279) = -14.24, p < .001$. The M s and 95% confidence intervals were 2.30 (2.18-2.43) for chew, 2.50 (2.38-2.62) for hookahs, 2.88 (2.76-3.01 for pipe), and 2.41(2.29-2.53) for e-cigarettes, all suggestive of the low to moderate credibility of amateur sources.

Message Effects on Attitudes

We estimated attitudes toward featured products across each specific experimental video and the control condition. As explained before, each experimental condition measured attitudes toward a different featured product, whereas the control condition measured attitudes toward all

products, which were averaged for comparison. Table 2 presents these analyses; posthoc LSD contrasts are represented with different subscripts. As shown, attitudes toward e-cigarettes and hookahs were more favorable following the experimental than the control video. In addition, the video about chewing tobacco produced more negative attitudes toward chewing tobacco than did the control video, and the video about pipe smoking did not differ from the control.

The effects on attitudes were investigated by conducting analysis of variance of attitudes toward the use of combustible cigarettes—never featured in the presented videos—as a function of experimental condition. Results from these analyses appear in the lower panel of Table 2 and show a significant effect of condition for both overall attitudes and positively worded attitude items. The omnibus effects on these attitude measures can be attributed to significant differences between the chewing and pipe videos, between the chewing and the e-cigarette videos, and between the hookah and the pipe videos. Although none of the videos differed significantly from the control videos, the pipe video produced the most favorable attitudes toward combustible cigarette smoking. Specifically, the pipe video led to more positive attitudes toward combustible smoking than did the chewing and the hookah videos and the e-cigarette video led to more positive attitudes toward combustible cigarette smoking than did the chewing video.

Discussion

We examined the responses of young adults ages 18-24 to four misleading portrayals of tobacco's health consequences in popular YouTube videos. Results indicated that such material can increase positivity toward the featured products such as e-cigarettes or hookah smoking (g vs. control video in each case = 0.38 and .37).

Although our study illustrates how potentially harmful content on social media may be studied, it has some limitations. We cannot generalize our findings to the many other videos that populate YouTube. We attempted to cover the major types of claims made in those videos, but there may well be others that are even more persuasive than the ones we identified. In addition, our findings with young adults may not generalize to adolescents, who may be even more susceptible to the claims made in these videos. Further research will be needed to assess this possibility.

This tendency for young tobacco consumers to respond credulously to misinformation on YouTube raises the possibility of tobacco use and exposure to misleading media exerting mutually reinforcing effects³⁰. Finding tobacco friendly material convincing and gratifying, recipients might seek out similar contents, further bolstering self-justifying beliefs and prompting further selective exposure. In this regard, the aforementioned abundance of material on YouTube is cause for concern.

The present findings highlight the need to further study how new media sources such as YouTube affect tobacco knowledge, attitudes, and behavior. Although this study investigated misleading health portrayals only, content might also affect perceptions of tobacco products in other ways, both blatant and subtle, such as by modeling consumption¹⁻³, associating products with sex¹⁶, or facilitating product acquisition²⁰. Further, the participatory, interactive, and self-selected nature of social media may enhance pro-tobacco media effects more readily and perniciously than was possible with traditional media.

Policy Implications

The finding of YouTube video effects on positive attitudes toward hookahs and e-cigarettes should alert the public to the potential threats that these widely viewed videos can pose

to youth and the health of the population. Attitudes toward hookas and e-cigarettes can predict engagement in the behavior in the future ³¹⁻³⁴, and essentially mimic the long-standing strategy of the tobacco industry to create favorable impressions of their products despite the harm they cause ^{35,36}.

Difficulties including user-generated postings under the total ban on tobacco advertising, promotion and sponsorship. The notion of regulating tobacco advertising is not new and stems from a large body of evidence on the powerful effects of the media on acceptance and use of tobacco. The Framework Convention on Tobacco Control (FCTC) organized by the World Health Organization (WHO) has examined the media-effects evidence and recommended a total ban on tobacco advertising, promotion, and sponsorship. The total ban is based on the principles listed in Table 3. A quick inspection of these principles highlights the difficulties that regulating Web 2.0 practices would pose. Web 2.0 is defined by an online environment in which users share information and build networks of users ^{37,38}. Thus, generally many of the user generated social media postings are probably developed by independent citizens more likely to be motivated by the goal to achieve fame than by payments from the tobacco industry. In our study, the videos we selected had no associations with either a brand or a company and appeared to be amateur and judged as having limited credibility. Therefore, a direct connection between these developers and the tobacco industry is unlikely.

US obstacles to banning Internet contents. Most countries impose some regulations on Internet contents following the principle of protecting children potentially harmful contents ³⁹. However, in the US, restricting online interactions is perceived as violating freedom of speech and as "throwing the baby with the bath water." That is, restricting freedom of speech in any way may open the door to censorship, and in fact some of the countries that control Internet contents

are motivated by political control reasons (<http://www.bbc.com/news/technology-20096274>).

The fifth amendment would also be violated by imposing a total ban on Internet tobacco contents. The fifth amendment protects the right to act in ways that are not self-incriminating and thus make all Internet use private.

Voluntary ban by YouTube. A more promising measure to reduce postings that promote tobacco use is for social media platforms to restrict postings. Verifying that amateur videos can still have measurable impacts on attitudes toward tobacco use should be sufficient demonstration that responsible businesses must advocate for socially beneficial behavior in their premises. For example, in 2015, Facebook expanded the list of contents that the company is allowed to remove, which includes violent materials and postings that are degrading to specific social groups (e.g., women) ⁴⁰. Following in Facebook's steps, in 2017, YouTube updated the guidelines of acceptable contents as follows:

Chiefly, the video site will not show advertising against “hateful” content that “promotes discrimination or disparages or humiliates an individual or group of people,” it said. Also barred from running ads are videos that involve “family entertainment characters” engaging in inappropriate behavior, and those that carry messages that demean or are incendiary.⁴¹

Moving from these guidelines to banning advertising of such products with no known benefits as tobacco would be easy and beneficial to society.

User norms and boycotting sites. User boycott of sites that ignore tobacco promotion would be another reasonable step. In 2016, several proposals to boycott Facebook followed from the company's involvement in dissemination of fake news during the presidential campaign ⁴². These proposals were likely influenced by reports that 67% of Americans believed that Facebook

should have done more to prevent the spread of fake news during the 2016 US presidential election on their site ⁴³. These public responses prompted the company's decision to limit fake news, although the success of these measures remains to be seen ⁴⁴. Even more relevant to our analysis, during the first half of 2017, YouTube faced a boycott from advertisers who refused to have their ads displayed next to the many hate speech videos that populate the site ⁴⁵. The boycott was effective at influencing their 2017 posting policies, which we covered above.

Electronic filtering or control methods. Content-limited (or filtered) Internet service providers allow subscribers to opt into specific websites or set mandatory restrictions for all subscribers. These are the most extreme forms of filtering and unable government, organizational, or parental control over the contents viewed by subscribers ⁴⁶. Less dramatic methods involve network based filtering, in which software is installed to control content within a network such as a home or school ⁴⁷. Filtering can also be done by domain, by user, or by a combination of user and domain, all of which may be implemented for tobacco related materials ⁴⁷.

Debunking and recipient training approaches. Future research should also explore ways to debunk the misleading claims found in YouTube videos to render these materials ineffective. A recent meta-analysis of debunking messages ^{48,49} suggested that detailed forms of debunking as well as an active audience are key to effective corrections ⁵⁰. Further, resistance training has been identified as key to reduce susceptibility to peer influences on smoking ⁵¹. In the context of our findings, young adults should be trained in identifying and resisting contents that appear on social media but share many of the characteristics of peer pressure to use unhealthy products.

References

1. Sargent JD, Beach ML, Adachi-Mejia AM, et al. Exposure to movie smoking: its relation to smoking initiation among US adolescents. *Pediatrics*. 2005. doi:10.1542/peds.2005-0714.
2. National Cancer Institute. The role of the media in promoting and reducing tobacco use. Executive summary. *Tob Control Monogr No 19 Role Media Promot Reducing Tob Use*. 2008. doi:10.1002/yc.346.
3. Jamieson PE, Romer D. Trends in US movie tobacco portrayal since 1950: A historical analysis. *Tob Control*. 2010. doi:10.1136/tc.2009.034736.
4. Jamieson PE, Romer D. Portrayal of tobacco use in prime-time TV dramas: trends and associations with adult cigarette consumption—USA, 1955–2010. *Tob Control*. 2015. doi:10.1136/tobaccocontrol-2012-050896.
5. Hong T, Cody MJ. Presence of pro-tobacco messages on the web. *J Health Commun*.

2002. doi:10.1080/10810730290088148.
6. Elkin L, Thomson G, Wilson N. Connecting world youth with tobacco brands: YouTube and the internet policy vacuum on Web 2.0. *Tob Control*. 2010. doi:10.1136/tc.2010.035949.
 7. Bromberg JE, Augustson EM, Backinger CL. Portrayal of smokeless tobacco in youtube videos. *Nicotine Tob Res*. 2012. doi:10.1093/ntr/ntr235.
 8. Richardson A, Vallone DM. YouTube: a promotional vehicle for little cigars and cigarillos? *Tob Control*. 2014. doi:10.1136/tobaccocontrol-2012-050562.
 9. Seidenberg AB, Rodgers EJ, Rees VW, Connolly GN. Youth access, creation, and content of smokeless tobacco (“dip”) videos in social media. *J Adolesc Heal*. 2012. doi:10.1016/j.jadohealth.2011.09.003.
 10. Luo C, Zheng X, Zeng DD, et al. Portrayal of electronic cigarettes on YouTube. In: *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. ; 2013. doi:10.1007/978-3-642-39844-5_1.
 11. Freeman B, B. F. New media and tobacco control. *Tob Control*. 2012.
 12. Carroll M V, Shensa A, Primack BA. A comparison of cigarette- and hookah-related videos on YouTube. *Tob Control*. 2013. doi:10.1136/tobaccocontrol-2011-050253.
 13. Forsyth SR, Malone RE. “I’ll be your cigarette-light me up and get on with it”: Examining smoking imagery on YouTube. *Nicotine Tob Res*. 2010. doi:10.1093/ntr/ntq101.
 14. Peters K, Kashima Y. A multimodal theory of affect diffusion. *Psychol Bull*. 2015;141(5):966-992. doi:http://dx.doi.org/10.1037/bul0000020.
 15. Paek HJ, Kim S, Hove T, Huh JY. Reduced harm or another gateway to smoking Source,

- message, and information characteristics of E-cigarette videos on YouTube. *J Health Commun.* 2014. doi:10.1080/10810730.2013.821560.
16. Kim K, Paek HJ, Lynn J. A content analysis of smoking fetish videos on YouTube: Regulatory implications for tobacco control. *Health Commun.* 2010. doi:10.1080/10410230903544415.
 17. Freeman B, Chapman S. Is “YouTube” telling or selling you something? Tobacco content on the YouTube video-sharing website. *Tob Control.* 2007. doi:10.1136/tc.2007.020024.
 18. YouTube Press Pages. Retrieved from <http://www.youtube.com/yt/press/en-GB/statistics.html>.
 19. Wasserman T. Exclusive: Report Says YouTube Overtakes Facebook Among Teens. Nov. 5, 2013. Retrieved from http://mashable.com/2013/11/05/teens-facebook-youtube-most-popular/#qCZ0q_GYXakL.
 20. Ribisl KM, Jo C. Tobacco control is losing ground in the Web 2.0 era: Invited commentary. *Tob Control An Int J.* 2012. doi:10.1136/tobaccocontrol-2011-050360 [doi].
 21. M. H, H. Y, P. T. Mining data on usage of electronic nicotine delivery systems (ENDS) from YouTube videos. *Tob Control.* 2013.
 22. DM L, ML S, Litt DM, Stock ML. Adolescent alcohol-related risk cognitions: The roles of social norms and social networking sites. *Psychol Addict Behav.* 2011. doi:10.1037/a0024226.
 23. Moreno MA. Associations Between Displayed Alcohol References on Facebook and Problem Drinking Among College Students. *Arch Pediatr Adolesc Med.* 2012. doi:10.1001/archpediatrics.2011.180.
 24. Romer D, Moreno M. Digital Media and Risks for Adolescent Substance Abuse and

- Problematic Gambling. *Pediatrics*. 2017. doi:10.1542/peds.2016-1758L.
25. Jamal A, Gentzke A, Hu SS, et al. Tobacco Use Among Middle and High School Students — United States, 2011–2016. *MMWR Morb Mortal Wkly Rep*. 2017. doi:10.15585/mmwr.mm6623a1.
 26. Kasza KA, Ambrose BK, Conway KP, et al. Tobacco-Product Use by Adults and Youths in the United States in 2013 and 2014. *N Engl J Med*. 2017. doi:10.1056/NEJMsa1607538.
 27. Meich RA, Johnston LD, O'Malley PM, Bachman JG, Schulenberg JE. *Monitoring the Future: National Survey Results on Drug Use, 1975–2014.*; 2015.
 28. Buhrmester M, Kwang T, Gosling SD. Amazon's Mechanical Turk: A new source of inexpensive, yet high quality, data? *Perspect Psychol Sci*. 2011. doi:10.1177/1745691610393980.
 29. Oppenheimer DM, Meyvis T, Davidenko N. Instructional manipulation checks: Detecting satisficing to increase statistical power. *J Exp Soc Psychol*. 2009. doi:10.1016/j.jesp.2009.03.009.
 30. Slater M. Reinforcing spirals: The mutual influence of media selectivity and media effects and their impact on individual behavior and social identity. *Commun Theory*. 2007.
 31. Aizen, I., Fishbein, M., Lohmann, S., & Albarracin D. The influence of attitudes on behavior. In Albarracin, D., & Johnson, B.T. (Eds.), *Handbook of Attitudes*. 2nd Edition.
 32. Ajzen I, Albarracin D. Predicting and changing behavior: A reasoned action approach. *Predict Chang Heal Behav Appl Reason action approach*. 2007. doi:10.4324/9780203838020.
 33. Fishbein M, Icek A. Predicting and changing behavior: The reasoned action approach.

- Taylor Fr.* 2011. doi:10.1080/00224545.2011.563209.
34. Glasman LR, Albarracín D. Forming attitudes that predict future behavior: A meta-analysis of the attitude-behavior relation. *Psychol Bull.* 2006. doi:10.1037/0033-2909.132.5.778.
 35. Slovic P. *The Perception of Risk.*; 2000.
 36. McIntosh M. The growth of racketeering. *Econ Soc.* 1973. doi:10.1080/030851473000000002.
 37. Graham, Paul (November 2005). “Web 2.0”. Retrieved 2006-08-02. “I first heard the phrase ‘Web 2.0’ in the name of the Web 2.0 conference in 2004.”
 38. O’Reilly, Tim (2005-09-30). “What Is Web 2.0”. O’Reilly Network. Retrieved 2006-08-06.
 39. Broadcasting Standards Commission. Regulating the Internet. 1999. <http://www.ofcom.org.uk/static/archive/bsc/pdfs/research/Update4RegulatingtheInternet.pdf>.
 40. <https://www.facebook.com/communitystandards>.
 41. <https://techcrunch.com/2017/06/01/youtube-bans-hateful-videos-from-making-money-via-its-advertising-network/>.
 42. www.politicsplus.org/blog/2017/09/07/boycott-facebook/.
 43. <https://www.usatoday.com/story/news/2017/10/03/usa-today-poll-facebook-faulted-not-doing-more-russian-ads-2016-race/722306001/>.
 44. Chan MS, Morales A, Farhadloo M, Palmer RP, Albarracín D. Harvesting and harnessing social media data for psychological research. In: Blanton H, Webster GD, eds. *Social Psychological Research Methods: Social Psychological Measurement*.

45. <https://www.theguardian.com/technology/2017/mar/25/google-youtube-advertising-extremist-content-att-verizon>.
46. Xu X, Mao ZM, Halderman JA. Internet censorship in China: Where does the filtering occur? In: *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. ; 2011. doi:10.1007/978-3-642-19260-9_14.
47. https://en.wikipedia.org/wiki/Content-control_software.
48. Chan MS, Jones CR, Hall Jamieson K, Albarracín D. Debunking: A Meta-Analysis of the Psychological Efficacy of Messages Countering Misinformation. *Psychol Sci*. 2017. doi:10.1177/0956797617714579.
49. Chan MS, Jones CR, Albarracin D. Countering false beliefs: An analysis of the evidence and recommendations of best practices for the retraction and correction of scientific misinformation. In: *Handbook of the Science of Science Communication*. ; 2017. doi:10.1093/oxfordhb/9780190497620.013.37.
50. Romer D, Jamieson PE, Jamieson KH, Jones C, Sherr S. Counteracting the Influence of Peer Smoking on YouTube. *J Health Commun*. 2017. doi:10.1080/10810730.2017.1290164.
51. Hansen WB, Graham JW. Preventing alcohol, marijuana, and cigarette use among adolescents: Peer pressure resistance training versus establishing conservative norms. *Prev Med (Baltim)*. 1991. doi:10.1016/0091-7435(91)90039-7.

Table 1***Descriptive Statistics and Comparisons Across Conditions***

	All	Chew	Hookah	Pipe	E-Cigarettes	Control	Between-Group Statistic
Age	$M = 21.98$ $SD = 1.72$	$M = 22.15$ $SD = 1.59$	$M = 22.04$ $SD = 1.70$	$M = 22.02$ $SD = 1.79$	$M = 21.80$ $SD = 1.69$	$M = 21.87$ $SD = 1.86$	$F_{(4,345)} = 0.47\text{ns}$
Males	44%	46%	43%	47%	46%	41%	$\chi^2_{(1,4)} = 0.69\text{ns}$
Race							$\chi^2_{(1,16)} = 19.37\text{ns}$
White	73%	59%	78%	74%	80%	64%	
Black	12%	16%	10%	14%	3%	19%	
Native American	2%	1%	0%	2%	4%	1%	
Asian	9%	11%	6%	11%	10%	10%	
Other	4%	3%	7%	2%	3%	6%	
Hispanic origin							$\chi^2_{(1,4)} = 2.87\text{ns}$
Yes	12%	10%	4%	8%	9%	11%	
No	88%	90%	96%	92%	91%	89%	
Ever chew	12%	13%	10%	17%	11%	10%	$\chi^2_{(1,4)} = 2.08\text{ns}$

	All	Chew	Hookah	Pipe	E-Cigarettes	Control	Between-Group Statistic
Ever Hookah	53%	51%	49%	56%	50%	57%	$\chi^2_{(1,4)} = 1.50ns$
Ever pipe	12%	11%	12%	11%	14%	13%	$\chi^2_{(1,4)} = 0.52ns$
Ever e-cigarettes	44%	38%	41%	49%	47%	47%	$\chi^2_{(1,4)} = 2.36ns$
Ever cigarettes	56%	51%	52%	62%	60%	57%	$\chi^2_{(1,4)} = 2.76ns$

ns: Not statistically significant

Table 2***Means (95% CI) for Attitudes as a Function of Video***

	Video Conditions					
	Chew	Hookah	Pipe	E-Cigarette	Control	F(4,315)
Attitude toward products featured in videos						
Overall	1.53 ^a (1.27-1.80)	2.99 ^b (2.73-3.25)	2.49 ^{cd} (2.21-2.76)	3.21 ^b (2.94-3.47)	2.57 ^d (2.21-2.93)	23.12***
Positive items	1.46 ^a (1.18-1.74)	3.07 ^b (2.79-3.45)	2.40 ^{cd} (2.11-2.70)	3.22 ^b (2.94-3.51)	2.57 ^d (2.19-2.95)	23.42***
Negatively worded items (reversed-scored)	1.60 ^a (1.32-1.68)	2.92 ^b (2.65-3.19)	2.57 ^{cd} (2.28-2.85)	3.19 ^b (2.92-3.47)	2.45 ^d (2.08-2.82)	18.51***
Attitudes toward smoking						
Overall	1.89 ^a (1.67-2.12)	2.04 ^{ac} (1.82-2.26)	2.39 ^b (2.16-2.62)	2.23 ^{bc} (2.00-2.46)	2.13 ^{ab} (1.91-2.36)	2.59*
Positively worded items	1.85 ^a (1.55-2.06)	1.95 ^{ac} (1.70-2.20)	2.33 ^b (2.07-2.60)	2.23 ^{bc} (1.97-2.49)	2.06 ^{ab} (1.80-2.32)	2.58*
Negatively worded items (reversed-scored)	1.99 (1.75-2.24)	2.13 (1.89-2.38)	2.45 (2.19-2.71)	2.24 (1.99-2.49)	2.21 (1.96-2.46)	1.70

***: $p < .001$. *: $p < .05$. Different subscripts indicate significantly different means based on posthoc LSD comparisons. Contrasts were not tested when the omnibus F -ratio was not significant.

Table 3***Principles Underlying Total Ban on Tobacco Advertising, Promotion, and Sponsorship***

#	Principle
1	It is well documented that tobacco advertising, promotion and sponsorship increase tobacco use and that comprehensive bans on tobacco advertising, promotion and sponsorship decrease tobacco use.
2	An effective ban on tobacco advertising, promotion and sponsorship should, as recognized by Parties to the Convention in Articles 13.1 and 13.2, be comprehensive and applicable to all tobacco advertising, promotion and sponsorship.
3	According to the definitions in Article 1 of the Convention, a comprehensive ban on all tobacco advertising, promotion and sponsorship applies to all forms of commercial communication, recommendation or action and all forms of contribution to any event, activity or individual with the aim, effect, or likely effect of promoting a tobacco product or tobacco use either directly or indirectly
4	A comprehensive ban on tobacco advertising, promotion and sponsorship should include cross-border advertising, promotion and sponsorship. This includes both outflowing advertising, promotion and sponsorship (originating from a Party's territory) and in-flowing advertising, promotion and sponsorship (entering a Party's territory).

#	Principle
5	To be effective, a comprehensive ban should address all persons or entities involved in the production, placement and/or dissemination of tobacco advertising, promotion and sponsorship.
6	Effective monitoring, enforcement and sanctions supported and facilitated by strong public education and community awareness programs are essential for implementation of a comprehensive ban on tobacco advertising, promotion and sponsorship.
7	Civil society has a central role in building support for, developing and ensuring compliance with laws addressing tobacco advertising, promotion and sponsorship, and it should be included as an active partner in this process.
8	Effective international cooperation is fundamental to the elimination of both domestic and cross-border tobacco advertising, promotion and sponsorship




Figure 1. You Tube Videos

Footnotes

ⁱ This study tested the video portrayal with narrative claims for four independent tobacco claim categories. It did not test four types of portrayed tobacco per video per tobacco claim because such study video content was unavailable on YouTube and such a study would have required an alteration of the YouTube clips which would not have represented what teens actually saw on YouTube. In the future, as more videos accumulate, a complete set of claims should be tested for each product.